



/ Rapid / R


COVID-19 IMMUNITY TESTS


COVID-19 Antibody tests can help a person determine if they had a past infection and/or determine if antibodies are present in their system.

Simply put, this Canadian-made test makes it easy to tell if you have immunity against COVID-19.


HEALTH CANADA AUTHORIZED

Detectable Test Window For Antibodies





Test Procedure & Reading Results



NEGATIVE

The coloured line in the control line region (C) changes from blue to red. No line appears in the test line regions M or G.

The result is Negative.

IgM POSITIVE

The coloured line in the control line region (C) changes from blue to red, and a coloured line appears in test line region M.

The result is anti-COVID-19 IgM Positive.

INVALID

Control line is still completely or partially blue, and fails to completely change from blue to red. Insufficient specimen volume or incorrect procedural techniques are the most likely reasons for control line failure. Review the procedure and repeat the test with a new cassette. If the problem persists, discontinue using the kit immediately and contact your distributor.

IgG POSITIVE

The coloured line in the control line region (C) changes from blue to red, and a coloured line appears in test line region G.

The result is anti-COVID-19 IgG Positive.

IgG and IgM POSITIVE

The coloured line in the control line region (C) changes from blue to red, and two coloured lines appear in test line regions M and G.

The result is anti-COVID-19 IgM and IgG Positive.







FOR IgM DETECTION

METHOD	PCR +	PCR -	Total	
COVID-19	lgM+	74	2	76
lgG/lgM Rapid Test	lgM -	5	225	230
TOTAL		79	227	306

KIT CONTAINS:

- 20 In Vitro Diagnostic Devices (IVDD)
- 20 10 uL pipettes (for whole blood)
- 20 Alcohol wipes
- 20 One-time-use safety lancets (automatic, spring loaded, with retractable blade)
- 1 Bottle of buffer
- 1 Product insert

Relative sensitivity: 93.7% (86.0%-97.3%)* Relative specificity: 99.1% (96.8%-99.8%)* Overall agreement: 97.7% (95.4%-98.9%)* *95% Confidence Interval

FOR IgG DETECTION

METHOD		Convalescent samples	PCR -	Total
COVID-19	lgG+	82	3	85
IgG/IgM Rapid Test	lgG -	1	224	225
TOTAL		83	227	310

Relative sensitivity: 98.8% (93.5%-99.8%)* Relative specificity: 98.7% (96.2%-99.5%)* Overall agreement: 98.7% (96.7%-99.5%)* *95% Confidence Interval

Test Outcomes

SARS-CoV-2 ANTIGEN (Ag) AND IgM/IgG ANTIBODY TEST RESULTS AND CLINICAL SIGNIFICANCE

TEST RESULTS		JLTS	SIGNIFICANCE		
Ag	lgM Ab	IgG Ab	STORTICARCE		
+	_		Patient may be in the initial stage of SARS-CoV-2 infection.		
+	+	Patient may be in the early stages of infection, and the body's immune response first produced the antibody IgM, but no IgG was produced or the IgG content did not reac detection limit of the diagnostic reagent.			
+		+	Patient may be in a late or recurrent stage of infection.		
_	+		Patient may be in the acute phase of SARS-CoV-2 infection.		
		+	Patient may have been infected with SARS-CoV-2 in the past.		
	+	+	Patient has recently been infected with SARS-CoV-2 and is in the recovery stage.		



416 704 3460

MEDICALSAFETYPROTECTION.COM

sales@medicalsafetyprotection.com